







10 Things You Didn't Think You Could Do in 10 Minutes with the Toolkit

March 29, 2010
Denise Greenwell, AAHA
Galina Kozachenko, AFP
Shannon Merritt, AAFP
Darryl Hopkins, Avectra
Nilufer Uslu, Avectra
Eric Shank, Avectra



Welcome to 10 More Things!

AVECTRA LIDC 2010

- Things happen in <a>3
- Third year for this session
- Three Avectrans, three clients, ten times the fun
- View the presentations from earlier years here:
 - ♦ AUDC 2008
 - ♦ AUDC 2009



10 Things

AVECTRA 2010


- Dynamic Variable
- 2. Child Forms in Email Templates
- Parsed Values in Form Titles
- 4. Visibility SQL in eWeb
- Item Link to Launch Query
- Form Designer Control Behavior
- Child Form to Display Extenders
- Customer Lookup with Add Links
- Workflow
- 10. Super Search



#1 Dynamic Variable



- Use child_form_text parsed value to run a SQL statement
- Child form:






#1 Dynamic Variable

DynamicParsedValue







ORLANDO

#1 Dynamic Variable



Period field defaults:


Find - Batch		
Advanced View		
Batch Name:		
Company:	ASTC V	
Period:	201003 🕶	
Batch Date:		
Default Payment Method:	~	
Close Flag:		
Posted?:		
		Go Cancel



#2 Child Forms in Email Templates




- Use child_form_html in email template to list records
- Child form:



#2 Child Forms in Email Templates

EmailTemplate







#2 Child Forms in Email Templates



Email includes list of records returned by SQL in child form:





#3 Parsed Values in Form Titles



Form Titles can Parse Values from the object

Edit - Dynamic Form

Form Information			enable aj	ax? 🗸
object:	Individual			
form description:	Individual			
form title:	{ind_full_name_cp}			
form key:	b772881d-d704-40f3-92b6-09b13a50fcc9			
_Properties		Properties To Suppress		
designed fo	rm? 🔽	no record info footer?		
has child for	ms? 🗸	no delete button?		
has extension contr	ols? 🔽	no hide/disable checkbox?		
has profile fo	rm? 🔽	no save button?		
primary pro	file? 🔽	display only?		
			ADVANC	eeD)



#3 Parsed Values in Form Titles



Can do conditional parsing logic also


Edit - Dynamic For	m		
Form Information			enable ajax?
object:	Refund		
form description:	ACS Refund (Substitute)		
form title:	@{?request:keep==true?ACS Keep Credits?	?Refund}	
form key:	ee04af13-8ab7-4ce4-800a-8b8cde6ba9d8		
Properties		Properties To Suppress	
designed fo	rm? 🗸	no record info footer?	
has child for	ms?	no delete button?	
has extension contr	ols?	no hide/disable checkbox?	
has profile fo	rm?	no save button?	
primary pro	file?	display only?	
			ADVANCED



#3 Parsed Values in Form Titles




Link passes the 'keep' value indicating to the form which text to display





 On an eWeb page, display content on a page conditionally based on the who the user is using <u>Visibility SQL</u>.



You (Shannon x Merritt) are impersonating Richard Roberts MD, FAAFP

End Impersonation



Home Page > Members > Member Services > My Academy



About Us News & Journals Members CME Center Clinical & Research Running a Practice Policy & Advocacy Caree

MY ACADEMY

Welcome

Access AFP & FPM

View My CME Record

Check My Dues

Update My Contact Info

My Financial Transactions

Renew My Subscriptions

E-mail Discussion Lists

Register for AAFP Event

Build My Web Site

AAFP CareerLink

Look Up Other Members

Contact My Chapter

Logout

Return to Previous Page

Member Directory Search Detail

AAFP Membership Record For:

Richard Guy Roberts

Contact Information Membership Information

Richard Guy Roberts, MD, FAAFPMember Type: Active Year of Birth: 1953
1100 Delaplaine Ct Chapter: Wisconsin AFP Gender: Male

Madison, WI 53715-1840 AAFP Enroll Date: 1983-07-01Medical School: The George Washington University School of Medicine

Reelection Cycle: Med School Graduation Date: 1980-05-31

AAFP Fellow: 1984 Residency Program: Sm-ucla Mc Fpr(defunct) Now: 0

Residency Completion: 1983-06-01

What AAFP Members see

E-mail this member

Phone: (608)263-3598

Fax: (608)263-5813

National Commission/Committee Assignments 01/1999 - 12/1999 Committee on Bylaws Speaker Board of Directors Speaker 09/1997 - 09/1999 **Executive Committee** Member 09/1999 - 09/2000 **Executive Committee** Member 09/1998 - 09/1999 Board of Directors President Elect 10/1999 - 09/2000 Doord of Directors Vice Charles 40/4004 00/4007






Home Page > Members > Member Services > My Academy



Members CME Center Clinical & Research News & Journals Running a Practice Policy & Advocacy Careers Return to Previous Page MY ACADEMY **Member Directory Search Detail** Welcome Access AFP & FPM What AAFP Staff and View My CME Record AAFP Member ID: 5371616 Chapter Staff see Check My Dues AAFP Membership Record For: Update My Contact Info My Financial Transactions Richard Guy Roberts Renew My Subscriptions Contact Information Membership Information E-mail Discussion Lists Register for AAFP Event Richard Guy Roberts, MD, FAAFPMember Type: Active Year of Birth: 1953 1100 Delaplaine Ct Chapter: Wisconsin AFP Gender: Male Build My Web Site Madison, WI 53715-1840 AAFP Enroll Date: 1983-07-01Medical School: The George Washington University School of Medicine AAFP CareerLink Reelection Cycle: Med School Graduation Date: 1980-05-31 My Committees AAFP Fellow: 1984 Residency Program: Sm-ucla Mc Fpr(defunct) Now: 0 Look Up Other Members Residency Completion: 1983-06-01 Contact My Chapter Phone: (608)263-3598 Logout Fax: (608)263-5813 E-mail this member **National Commission/Committee Assignments** Committee on Bylaws 01/1999 - 12/1999 Speaker Board of Directors Speaker 09/1997 - 09/1999 **Executive Committee** Member 09/1999 - 09/2000









	Individual Director	ry Detail Page		detail key: 4cf30371-cf5a-475b	-a/41-a9436ce12eue
position:	Content		•	add the appropriate information in the	fields below based on the content type.
ontent type:	HTML		•		
form:	Individual				▼
control/file:					
content path:					specify url only for iframe content t
destination:					▼
wizard:					▼
AAFP Mem	ber ID: {cst_id})			
	solute path for link		html forma	st)	
	solute path for link			ot)	
ayout & Visib	solute path for link ility Information				V
row row span	solute path for link ility Information : 2	column:		order:	•
row span content height unit	solute path for link ility Information 2 :	column: column span: content width: width unit:		order:	•
row span content height unit	solute path for link ility Information : 2 : : : : : : : : : : : : : : : : : :	column: column span: content width: width unit: 'yes' ler	1	order: content alignment: page detail key:	





```
Check to see if
logged-in user is an
authorized chapter
```

FROM

WHERE

Check to see if logged-in user is an AAFP staff person

staff person


```
SELECT visible = 'yes'
        co customer
       cst key IN (
       SELECT cxc_cst_key_1
               co_customer_x_customer (NOLOCK)
               INNER JOIN co_chapter (NOLOCK) ON cxc_cst_key_2 = chp_cst_key
               JOIN co relationship type (NOLOCK) ON cxc rlt code = rlt code
        WHERE
               cxc cst key 1 = {Customerkey}
               AND ( cxc end date IS NULL
                      OR DATEDIFF(dd, GETDATE(), cxc end date) >= 0
               AND rlt chp area access edit flag = 1 )
        OR cst key IN (
        SELECT cst key
        FROM
               co customer
               INNER JOIN dbo.co individual ON ind_cst_key = cst_key
               INNER JOIN dbo.co_individual_x_organization ON ixo_ind_cst_key = ind_cst_key
               INNER JOIN dbo.co organization ON org cst key = ixo org cst key
        WHERE
               org cst key = '689dd765-165a-4d23-93ad-6a8ab5451354'
               AND ind cst key = {Customerkey} )
```



#5 Item Link to Launch Query



Group Item Link includes the QueryKey




HyperLink to Launch Query



Query Key



Form Key






HyperLink to Launch Query



Create the Link



URL/Image Path/Data:


url[DynamicList.aspx?FormKey=02d37d7d-4f3d-4353-9320-055b09589862&QueryKey=73aeb995-c2e1-4ad8-b59a-8fd195bc3af0]



Form Link to Launch Query



♦ Form Link






Toolkit Form Designer enables you to put apply invisible, read-only, or required conditions on a control based on any data in netFORUM related to the record being processed.

Required	-
Demographics	
full name: Kristin Lavransdatter	deceased?
nick/badge name:	
gender:	SSN is read-only
date of birth:	Grad date is invisible
ssn: 888-66-5555	
	License number is
license number:	required





Design the Form, select the control, check the checkbox and write the SQL in the URL/Image Path/Data textarea.



SQL command must return a recordset. 0 rows means control will not be invisible, read-only or required. 1 row or more means the control will be invisible, read-only or required.





- Use this feature sparingly to avoid excessive SQL hits.
- ◆ Optimize SQL. Do it right the first time! No SELECT *, use NOLOCK, etc.
- As a convention, we write SELECT invisible = 'yes' FROM... but it really doesn't matter what you write, as long as you return a recordset.
- You can use:
 - InvisibleSQL
 - ReadOnlySQL
 - RequiredSQL





You can stack multiple condition types and refer to other active controls on the form. Example from COE:

Control to Add. Colort	Control ID: and now of installerants	
Control to Add: Select	Refresh Control ID: ord_num_of_installments	
Properties Advanced	d d	
Control Class:	TextBox	
Control Style:	DataFormTextBox	
Tool Tip:	number of installments:	
Read Only?	Control: Operator: Value:	
Required?	✓ Control: Operator: ✓ Value:	
Invisible?	✓ Control: Operator: ✓ Value:	
Auto Postback?		
Default Value:		
URL/Image Path/Data:	InvisibleSQL[select invisible='yes' where (isnull({inv_orig_trans_type},")!='installment') or isnull ({inv_installment_milestone_schedule},")!="] RequiredSQL[select required='yes' where (isnull({inv_orig_trans_type},")='installment') and isnull ({inv_installment_milestone_schedule},")="]	




- Error messages cannot be tailored to the business rule, so avoid cryptic conditions that users won't understand, especially with Required conditions.
- Don't use this if you can parse existing values of the same Object. Go to SQL only for related data in other tables.
- More tips and instructions at http://wiki.avectra.com/Form_Designer#Control_Conditions



#7 Child Form to Display Extenders

AVECTRA 200 10

- If you don't want to mess with a baseline Profile Form, you can be tricky with a child form.
- Step 1: Create a stored procedure to pull the extender table information in rows
- Step 2: Add a <u>child form</u> that output the stored procedure results





Child Form to Display Extenders




```
select abs key = abs key ext,
                                                 STEP 1: Stored Procedure:
[Question] = 'Participants will be able to:'
[Answer] = replace(abs goal1 ext,',','<br />'
                                                     Columns placed in rows with unions
   + case when abs goal1 ext like '%Other%'
       and abs goal1 other ext is not null
                                                     Comma delimited fields replaced
       and abs goal1 other ext != 11
       then ' (' + abs goal1 other ext + ')'
                                                     with line breaks
       else '' end,
sort by = 1
                                                     Other descriptions rendered in ideal
from ab abstract submission ext with (nolock
where abs key ext = @abs key
                                                     location
union
select abs key = abs key ext,
[Question] = 'Application
                                                               Answer
[Answer] = abs goal2 ext
                                                               Improve client satisfaction
                         Participants will be able to:
   + case when abs goal3
                                                               Improve employee satisfaction
       and abs goal3 ext
       then '<br />' + a
                                                               Improve productivity
       else " end
                                                               Improve quality
   + case when abs goal4
                                                               Improve health of pet
       and abs goal4 ext
                                                               Save time
       then ' < br />' + a
       else '' end,
                                                               Other (Improve human-animal bond)
sort by = 2
from ab abstract submission ext with (nolock)
where abs key ext = @abs key
```

Child Form to Display Extenders



STEP 2: Child Form definition in Toolkit that executes the SP:



Child Form to Display Extenders



Close up of Child Form from user perspective:

aaha submission details		(4
Question	Answer	
Participants will be able to:	Improve client satisfaction	
	Improve employee satisfaction	
	Improve productivity	
	Improve quality	
	Improve health of pet	
	Save time	
	Other (Improve human-animal bond)	
	Provide pet selection counseling	
Application Outcomes:	Educate staff members on pet selection counseling	
	improve client retention	
Presentation Level:	Level 1 - Basic	
Delivery Method:	Lecture	
Length of Presentation:	1 hour	
Percent Lecture:	100%	
Percent Interactive:	0%	
Target Audience:	Veterinary Technicians	
Room Setup:	Theater	
Audio/Visual Needs:	Additional wireless lavalier microphones	
Given this presentation:	Other: Southwest Veterinary Symposium, AAHA, LSU	
Submitted this proposal:	Other: Midwest Veterinary Conference, LVMA Winter meeting	



#8 Customer Lookup with Add Links




 Extend customer lookup functionality – use hyperlinks to add individual and organization records

	ODORIC MODES PREDIDENSINO	ecк email:	credit card/check	email address:	
Select		^			i
proforr html :: Che		e number:	check drivers licer	ise number:	or
invoice ter html :: Fre	e Text (Label)	y number:	check social secur	itv number:	
first invoice dahtml :: Ima		pingAddre			¹
	able Box (Div)				_
	rizontal Rule	20 Redirec	t Aft	ExtensionCurrencyRea	a
html :: Hid					
	UpdateGridControl (Div)	~			
	Designed List - Payment Detail				
Control to Add: Select	<u>- </u>	✓ Refresh	Control ID:		
Properties Advance	ed				
Control Class:	HyperLink				~
Control Style:	DataFormHyperLink				~
Tool Tip:	: Add Individual				
Read Only?	Control:	(Operator:	/alue:	
Required?	Control:		Operator: V V	/alue:	
Invisible?	Control:		Operator: 💹 🗡 V	/alue:	
Auto Postback?	? <u> </u>				
Default Value	:				
	url[javascript:void(0)]				copy paste form key of
UDI /Imman Dath /Date	analiak[OnanNawWindow/!DynamiaEditMadal	aspx?Modal=\	es&FormKey=25cac	d8ad-0921-4b50-92ed-	Add Individual form
UKL/Image Path/Data:	f8d36f1fad7f&Action=Add');]				Tidd marriadar form
	img[~/images/add_16.gif]can use image	es: .gif, .jpeg,	etc.		

Customer Lookup with Add Links



Lookup returns both types of customers






Customer Lookup with Add Links

AVECTRA 1000 20010

Add links
 allow adding
 individual
 and organization




#9 – Workflow



- Goal when individual submits a "Please send me a Certificant Information Bulletin (CIB)" request online via ASK AFP function, workflow should
- Email a template that includes a link to CIB to the individual
- Close the customer request generated by ASK AFP
- c) Close a user assignment generated by ASK AFP

Steps






	Assigned To			Description	Priority	Due Date	Status		
➾	Galina Kozach	enko		Ask AFP	Critical		open	\leftarrow	
⇔				Ask AFP	Critical	Critical		Open	
⇔				Ask AFP	Ask AFP Critical		open		
➾	biza			Ask AFP	Critical		open		
➾	biza			Ask AFP	Critical		open		
\Rightarrow	kwilson			Ask AFP	Critical		Open		
	customer requ	ıests						11 + (4)	
	Summary	Date Contacted	Activity	Reason			Priority	Status	
\Rightarrow	Ask AFP	3/19/2010	Ask AFP	Question about Mer	mbership		Medium	Open	
➾	Ask AFP	3/19/2010	Ask AFP	Send CTP Candidat	e Information Bulletin		Medium	Open 🗲	
	communicatio	ns						<u> </u>	
	Date	Activity			Description		Method		
ASS.	3/19/2010	Correst	ondence Sent		CIB request manual email		E-mail		

Design Workflow







Workflow Set up



active?	✓		
rule name:	CIB Requests		
object:	Contact Request		¥
data object:	Contact Request		¥
data object control:	cor :: Reason (cor_crr_code)		V
value to trigger rule:			
trigger on new value?			
trigger on old value?			
trigger on insert?	☑		
trigger on update?			
trigger on delete?			
order:	1		Workflow Designer
ord	ler: 1		Workflow Designer
record information save		☐ Metadata Lock ☐ hide/disable reco	ord? 🔲 insert after save 🔲 keep 🗉
created: bkurihara-01/28/20 updated: bkurihara-03/22/20	010		Save Delete
			(
Task Nam		Task Type Condition	<u>Link Type</u> <u>Sta</u> True/False ✓
A × ⇒ Close As		Object	rrue/r dise
A × ⇒ Close Cu	_	Object	Next
•	B Email to Customer	E-Mail	Next

Task 1 – check condition



rkflow Information			
workflow rule:	CIB Requests	make available as a template?	
type:	Condition	start task?	V
task name:	Check if CIB Request	stop work flow?	
task description:	Check if CIB Request		^
			٧
OGRAM CODE WORKFLOW - CONDIT	TION		
object assembly:	Workflow		
object type name:	Avectra.netForum.Workflow.Conditions		
method to execute:	StringEqualTo		٧
method parameters:	string:{cor_crr_code};string:Send CTP Candidate Information Bull	etin	
	validate method		
SK TO TASK LINK INFORMATION			_
line types:	True/False 🔻		
			_

Task 2 - Send Email



workflow rule:	CIB Requests	make available as a ten		as a temp	plate?	
type:	E-Mail 💌	start task?		stop wo	rk flow?	
task name:	Send CIB Email to Customer			order:	0	
task description:	Send CIB Email to Customer					^
						٧
OBJECT WORKFLOW object:	Contact Request					
operation:	V					
selection query:						*
condition:						^
						v
EMAIL WORKFLOW						
correspondence template:	afp_CTP_CIB_Request					*
e-mail to:	{cst_eml_address_dn}					

Task 3 – Close customer request



workflow rule:	workflow rule: CIB Requests		make available as a templat		plate?		
type:	Object] 9	start task?		stop wo	ork flow?	
task name:	Close Customer Request]			order:	0	
task description:	Close Customer Request						^
							V
OBJECT WORKFLOW object:	Contact Request	1					
object.	Contact Request						
operation:	Update						
selection query:							V
condition:	cor_key='{cor_key}'						^
							V
EMAIL WORKFLOW							
correspondence template:							¥
e-mail to:							

Task 4 – Close assignment



Norkflow Information						
workflow rule:	CIB Requests make available as a tem		as a temp	late?		
type:	Object	start task?		stop wor	k flow?	~
task name:	Close Assignment]		order:	0	
task description:	Close Assignment					^
						V
OBJECT WORKFLOW		1				
object:	Assignment					
operation:	Update 💌					
selection query:						*
condition:	coa_cor_key='{cor_key}'					^
						V
EMAIL WORKFLOW						
correspondence template:						*
e-mail to:						

Workflow in Action



1	assignments							(11)
mer's live	Assigned To		Description	Priority	Due Date		Status	
₽	Bizaurralde		Ask AFP	Critical			Closed	
(customer rec	quests	-					m +3
	Summary	Date Contacted	Activity	Reason			Priority	Status
⇔	Ask AFP	3/22/2010	Ask AFP	Send CTP Candidate Information Bulleti	n		Medium	Closed ←
	communicati	ons	A STATE OF THE PARTY OF THE PAR					110
D	ate	Activity		Description		Method		
her	e are no results	to display.						*
3 [outbound en	rors						
	bounces		1000					111



#10 Super Search



The iWeb Super Search enables you to search by customer ID, Invoice number, etc. Type in search code:



and view the results:





AVECTRA 20110

- You can add your own search indexes.
- Add more tables/columns to super search.
- View list of Search Table in Toolkit:








Standard super search tables:

List	- Search Table (13 re	cords)		☐₩ □ ▼≥▼
	Table Name	Form Description	External (eWeb) Web Site Only?	Order
4	md_web_content_detail	Web Pages - Search Results	✓	
4	md_web_posting	Web Posting - Add - (referenced In Code)	✓	
4	co_individual	Individual		10
4	co_organization	Organization		20
4	mb_committee	Committee		30
4	co_keyword	Keyword	✓	40
4	ev_event	Events Details		50
4	ac_invoice	Order Entry/invoice		60
4	oe_order	Order / Installment Billing		61
4	ac_batch	Batch		65
4	co_customer	Customer ID Search		70
4	md_column	Column		100
4	md_dynamic_form	Dynamic Form		200





Add a new search column to existing table:





Add a new search table. The form selects the destination page when the user chooses the record:

table name:	ac_payment_info	-
form:	Payment	-
order:	90	
external (eweb) web site only?		

and a new column:

Edit - Search	Column
search table:	ac_payment_info
column name:	pin_check_number
operator:	= 🔻
order:	
record information	n save mode: Update Metadata Lock hide/disable record?
created: dhopkin	-3/26/2010 4:06:23 PM Save Delete Cancel





- Avoid adding too many search fields as it slows performance.
- Select indexed columns for performance.
- Not as flexible as Query Tool.
- Cannot conditionally choose destination forms based on "type" of record returned. Example: co_customer might be an Individual or Organization but you can have only one destination form.
- Composes SQL based on <u>List Tables</u>.
- Works best with unique numbers and codes.
- See http://wiki.avectra.com/Super_Search for more.

